

**REFERENCES FOR THE SKELETAL DYSPLASIA REGISTRY**  
**2007**

- Agarwal VK, Lachman RS, Rimoin DL, Wilcox WR. . Spondylo-mega-epiphyseal dysplasia with prominent upper limb mesomelia, punctate calcifications, and deafness. *Am J Med Genet A*. 136:233-41, 2005.
- Arikawa-Hirasawa, E., Wilcox, W.R., Le, A., Silverman, N., Govindraj, P., Hassell, J.R., Yamada, Y. (2001). Dyssegmental dysplasia, Silverman-Handmaker type, is caused by functional null mutations of perlecan. *Nat. Genet.* 27:431-434.
- Ballhausen D, Bonafe L, Terhal P, Unger SL, Bellus G, Classen M, Hamel BC, Spranger J, Zabel B, Cohn DH, Cole WG, Hecht JT, Superti-Furga A. Recessive multiple epiphyseal dysplasia (rMED): phenotype delineation in eighteen individuals homozygous for DTDST mutation R279W. *J Med Genet* 40:65-71, 2003.
- Castriota-Scanderbeg, A; Mingarelli R, Caramia G, Osimani P, Lachman R. Rimoin, D, Wilcox W, Dallapiccola B: Spondylo-mesomelic-acrodysplasia with joint dislocations and severe combined immunodeficiency: a newly recognized immuno-osseous dysplasia. *Journal of Medicak Genetics* 34(10) 854-856, 2004.
- Cohn, DH, Ehtesham N, Krakow D, Unger S, Shanske A, Reinker K, Powell BR, Rimoin DL. Mental retardation and abnormal skeletal development (Dyggve-Melchior-Clausen Dysplasia) due to mutations in a novel, evolutionarily conserved gene. *Am J Hum Genet* 72:419-428, 2003.
- Cormier-Daire V, Delezoide AL, Philip N, Marcorelles P, Casas K, Hillion Y, Faivre L, Rimoin DL, Munnich A, Maroteaux P, Le Merrer M. Related Articles, Links [No abstract] Clinical, radiological, and chondro-osseous findings in opsismodysplasia: survey of a series of 12 unreported cases. *J Med Genet.* 2003 Mar;40(3):195-200.
- Cormier-Daire, V., Savarirayan R., Lachman, R.S., Neidich, J.A., Grace, K., Rimoin, D.L., Wilcox, W.R. (2001). "Baby rattle" pelvis dysplasia. *Am. J. Med. Genet.* 100:37-42.
- Crowley WF Jr, Sherwood L, Salber P, Scheinberg D, Slavkin H, Tilson H, Reece EA, Catanese V, Johnson SB, Dobs A, Genel M, Korn A, Reame N, Bonow R, Grebb J, Rimoin D. Clinical research in the United States at a crossroads: proposal for a novel public-private partnership to establish a national clinical research enterprise. *JAMA.* 2004 Mar 3;291(9):1120-6.
- Castori M, Sinibaldi L, Mingarelli R, Lachman RS, Rimoin DL, Dallapiccola B. Pachydermoperiostosis: an update . *Clinical Genetics* 68 : 477 ,2005
- Desnick RJ, Barranger J, Brady R, Collins A, Germain DP, Goldman M, Grabowski G, Packman S, Wilcox WR. Fabry disease, an under-recognized multisystemic disorder:

expert recommendations for diagnosis, management, and enzyme replacement therapy. *Ann Intern Med* 138:338-346, 2003.

Ehtesham N, Cantor RM, King LM, Reinker K, Powell BR, Shanske A, Unger S, Rimoin DL, Cohn DH. Evidence that Smith-McCort dysplasia and Dyggve-Melchior-Clausen dysplasia are allelic disorders that result from mutations in a gene on chromosome 18q12. *Am J Hum Genet* 71:947-951, 2002.

Elliott AM, Graham JG, Curry CJR, Pal T, Rimoin DL, Lachman RS. Spectrum of Dolichospondylic Dysplasia: Two new patients with distinctive findings. *Am J Med Genet* 113:351-361, 2002.

Elliott AM, Gonzales M, Hoeffel JC, Le Merrer M, Maroteaux P, Encha-Razavi F, Joye N, Berchel C, Fliegel C, Aughton DJ, Beaudry-Rodgers K, Hasteh F, Nerlich AG, Wilcox WR, Rimoin DL, Lachman RS, Freisinger P. Cerebro-osseous-digital syndrome: four new cases of a lethal skeletal dysplasia--distinct from Neu-Laxova Syndrome. *Am J Med Genet* 109:139-148, 2002.

Elliott AM, Field FM, Rimoin DL, Lachman RS. Hand involvement in Schmid metaphyseal chondrodysplasia, *Am J Med Genet* 132(2):191-

Elliott AM, Wilcox WR, Spear GS, Field FM, Steffensen TS, Friedman BD, Rimoin DL, Lachman RS. Osteocraniostenosis-hypomineralized skull with gracile long bones and splenic hypoplasia. Four new cases with distinctive chondro-osseous morphology. *Am J Med Genet A*. 2006 Jul 15;140(14):1553-63.

Faivre L, Cormier-Daire V, Elliott AM, Field F, Munnich A, Maroteaux P, Le Merrer M, Lachman R. Desbuquois dysplasia, a reevaluation with abnormal and "normal" hands: radiographic manifestations. *Am J Med Genet* 124A(1): 48-53, 2004

Faiyaz ul Haque M, Ahmad W, Wahab A, Haque S, Azim AC, Zaidi SHE, Teebi AS, Ahmad M, Cohn DH, Siddique T, Tsui L-C. A frameshift mutation in the cartilage derived morphogenetic protein 1 (CDMP1) gene and severe acromesomelic chondrodysplasia resembling Grebe type chondrodysplasia. *Am J Med Genet* 111:31-37, 2002.

Faiyaz ul Haque M, Ahmad W, Zaidi SHE, Haque S, Teebi AS, Ahmad M, Cohn DH, Tsui L-C. Mutation in the cartilage derived morphogenetic protein 1 gene (CDMP1) in a kindred with fibular hypoplasia and complex brachydactyly (DuPan syndrome) *Clin Genet* 61:454-458, 2002.

Fernandes RJ, Hirohata S, Engle JM, Colige A, Cohn DH, Eyre DR and Apte SS. Procollagen II amino-propeptide processing by ADAMTS-3: Insights on dermatosparaxis. *J Biol Chem* 276:31502-31509, 2001.

Gobin S, Bonnefont J-P, Prip-Buus C, Mugnier C, Ferrec M, Demaugre F, Saudubray J-M, Rostane H, Djouadi F, Wilcox WR, Cederbaum S, Haas R, Nyhan WL, Green A,

Gray G, Girard J, Thuillier L. Organization of the human liver carnitine palmitoyltransferase I gene (CPT1A) and identification of novel mutations in hypoketotic hypoglycaemia. *Hum Genet*, 111:179-189, 2002.

Hoornaert KP, Dewinter C, Vereecke I, Beemer FA, Courtens W, Fryer A, Fryssira H, Lees M, Mullner-Eidenbock A, Rimoin D, Siderius L, Superti-Furga A, Temple K, Willems P, Zankl A, Zweier C, De Paepe A, Coucke P, Mortier GR. The phenotypic spectrum in patients with arginine to cysteine mutations in the COL2A1 gene. *J Med Genet*. 2005 Sep 9

International nosology and classification of constitutional disorders of bone (2001). *Am J Med Genet* 113:65-77, 2002.

Korkko J, Cohn DH, Ala-Kokko L, Krakow D, Prockop DJ. Widely distributed mutations in the COL2A1 gene produce achondrogenesis type II/hypochondrogenesis. *Am J Med Genet*. 92:95-100, 2000.

Koski G, Aungst J, Kupersmith J, Getz K, Rimoin DL. Cooperative Research Ethics Review Boards: A Win-Win Solution? *IRB* 27(3) May-

Krakow D, Williams J 3rd, Poehl M, Rimoin DL, Platt LD. Related Articles, Links [Abstract] Use of three-dimensional ultrasound imaging in the diagnosis of prenatal-onset skeletal dysplasias.

Krakow D, Robertson SP, King LM, Morgan T, Sebald ET, Bertolotto C, Wachsmann-Hogiu S, Acuna D, Shapiro SS, Takafuta T, Aftimos S, Kim CA, Firth H, Steiner CE, Cormier-Daire V, Superti-Furga A, Bonafe L, Graham Jr. JM, Grix A, Bacino CA, Allanson J, Bialer MG, Lachman RS, Rimoin DL and Cohn DH. Mutations in the gene encoding filamin B disrupt vertebral segmentation, joint formation and skeletogenesis. *Nature Genetics*, 36: 405-410, 2004

Krakow D, Sebald ET, Pogue R, Rimoin LP, King LM, Cohn DH. Analysis of clones from a human cartilage cDNA library provides insight into chondrocyte gene expression and identifies novel candidate genes for the osteochondrodysplasias. *Mol Genet Metab* 79:34-32, 2003.

Krakow D, Williams, J, Poehl, M, Rimoin, D, Platt, L. Use of 3D imaging in the prenatal-onset skeletal dysplasias. *Ultrasound Obstet Gynecol*. 2003 May;21(5):467-72.

Krakow D, Sebald E, King LM, Cohn DH. Identification of Human FEM1A, the homologue of a *C. elegans* sex differentiation gene. *Gene* 279:213-219, 2001.

Krakow D, Salazar D, Wilcox W, Cohn D. Exclusion of the Ellis van Creveld region on chromosome 4p16 in some families with asphyxiating thoracic dystrophy and short-rib polydactyly syndromes. *Eur J Hum Genet* 8:645-648, 2000.

Krejci P, Masri B, Fontaine V, Mekikian PB, Weis M, Prats H, Wilcox WR. Interaction of fibroblast growth factor and C-natriuretic peptide signaling in regulation of chondrocyte proliferation and extracellular matrix homeostasis. *J Cell Sci.* 2005 Nov 1;118(Pt 21):5089-100. Epub 2005 Oct 18.

Krejci P, Masri B, Salazar L, Farrington-Rock C, Prats H, Michels-Thompson L, Wilcox WR. Bisindolylmaleimide I suppresses FGF-mediated activation of ERK map kinase in chondrocytes by preventing SHP2 association with the FRS2 and GAB1 adaptor proteins. *J Biol Chem.* 2006 Dec 4; [Epub ahead of print]

Li X, Chen S, Kantorovich V, Cheng LS, Cohn DH, Rotter JI, Yang H, Adams JS. Genetic determinants of osteoporosis susceptibility in a female Ashkenazi Jewish population. *Genet Med* 6:33-37, 2004.

Melkonieni M, Koillinen H, Männikkö M, Warman ML, Pihlajamaa T, Kääriäinen H, Rautio J, Hukki J, Stofko JA, Cisneros GJ, Krakow D, Cohn DH, Kere J, Ala-Kokko L. Collagen XI sequence variations in non-syndromic cleft palate, Pierre Robin sequence and micrognathia. *Eur J Hum Genet* 11:265-270, 2003.

Miller SF, Proud VK, Werner AL, Field FM, Wilcox WF, Lachman RS, Rimoin DL. Related Articles, Links  
[Abstract] Pacman dysplasia: a lethal skeletal dysplasia with variable radiographic features. *Pediatr Radiol.* 2003 Apr;33(4):256-60. Epub 2003 Feb 05.

Mortier GR, Weis M, Nuytinck L, King LM, Wilkin DJ, De Paepe A, Lachman RS, Rimoin DL, Eyre DR, Cohn DH. Report of five novel and one recurrent COL2A1 mutations with analysis of genotype-phenotype correlation in patients with a lethal type II collagen disorder. *J Med Genet* 37:263-71, 2000.

Pace JM, Chitayat D, Atkinson M, Wilcox WR, Schwarze U, Byers PH. A single amino acid substitution (D1441Y) in the carboxy-terminal propeptide of the proalpha1(I) chain of type I collagen results in a lethal variant of osteogenesis imperfecta with features of dense bone diseases. *J Med Genet* 39:23-29, 2002.

Reinker K, Hsia YE, Rimoin DL, Henry G, Yuen J, Powell B, Wilcox WR. Orthopaedic manifestations of Marinesco-Sjogren syndrome. *J Pediatric Orthop* 22:399-403, 2002.

Ridanpää M, Sistonen P, Rockas S, Rimoin DL, Mäkitie O, Kaitila I. Worldwide mutation spectrum in cartilage-hair hypoplasia and ancient founder origin of the major 70A->G mutation of the untranslated RMRP. *Eur J Hum Genet* 10:439-447, 2002.

Savarirayan R & Rimoin DL: Skeletal Dysplasias. *Advances in Pediatrics* 51; 209-229, 2004.

Savarirayan R, Cormier-Daire V, Amor DJ, Wilcox WR, Lachman RS, Rimoin DL. Prenatal cortical hyperostosis (Caffey disease). *Pediatric Radiol* 32:694, 2002.

Savarirayan, R., Cormier-Daire, V., Unger, S., Lachman, R.S., Roughley, P.J., Wagner, S.F., Rimoin, D.L., Wilcox, W.R. Oto-palato-digital syndrome, type II: report of three cases with further delineation of the chondro-osseous morphology. *Am. J. Med. Genet.* 95:193-200, 2000.

Savarirayan R, White SM, Goodman FR, Graham JM Jr., Delatycki MB, Lachman RS, Rimoin DL, Warman ML, Everman DB. Broad phenotypic spectrum caused by an identical heterozygous CDMP-1 mutation in three unrelated families. *Am J Med Genet* 117A:136-142, 2003.

Schweitzer, D.N., Graham, J.M. Jr., Lachman, R.S., Jabs, E.W., Okajima, K., Przylepa, K.A., Shanske, A., Chen, K., Neidich, J.A., Wilcox, W.R. (2001). Subtle radiographic findings of achondroplasia in patients with Crouzon syndrome with acanthosis nigricans due to an ala391glu substitution in FGFR3. *Am J. Med. Genet.* 98:75-91.

Sebald E, Krueger R, King LM, Cohn DH, Krakow D. Isolation of a new member of the ADP-ribosylation-like factor gene family, ARL8, from a cartilage cDNA library. *Gene* 311:147-151, 2003.

Spayde EC, Joshi AP, Wilcox WR, Briggs M, Cohn DH, Olsen BR. Exon skipping mutation in the COL9A2 gene in a family with multiple epiphyseal dysplasia. *Matrix Biol* 19:121-128, 2000.

Steiner C, Ehtesham N, Taylor KD, Sebald E, Cantor R, King LM, Guo X, Hang T, Hu MS, Cui J-R, Friedman B, Norato D, Allanson J, Mettler G, Field F, Lachman R, Cohn, DH and Krakow D. A locus for spondylocarpotarsal synostosis syndrome at chromosome 3p14. *J Med Genet*, in press.

Sung NS, Crowley WF Jr, Genel M, Salber P, Sandy L, Sherwood LM, Johnson SB, Catanese V, Tilson H, Getz K, Larson EL, Scheinberg D, Reece EA, Slavkin H, Dobs A, Grebb J, Martinez RA, Korn A, Rimoin D. Central challenges facing the national clinical research enterprise. *JAMA.* 2003 Mar 12;289(10):1278-87.

Takamine Y, Lachman RS, Field FM, Rimoin DL. Occipital projections in the skeletal dysplasias. *Pediatr Radiol.* 34(7):530-4, 2004

Tiemann-Boege I, Navidi W, Grewal R, Cohn D, Eskenazi B, Wyrobek AJ, Arnheim N. The observed human sperm mutation frequency cannot explain the achondroplasia paternal age effect. *Proc Natl Acad Sci USA.* 99:14952-14957, 2002.

Tiller, G.E., Hannig, V.L., Dozier, D., Carrel, L., Trevarthen, K.C., Wilcox, W.R., Mundlos, S., Haines, J.L., Gedeon, A.K., Gecz, J. (2001). A recurrent splicing mutation

in the SEDL gene causes X-linked spondyloepiphyseal dysplasia tarda (SEDL). *Am. J. Hum. Genet.* 68:1398-1407.

Unger SL, Briggs MD, Holden P, Zabel B, Ala-Kokko L, Paassilta P, Lohiniva J, Rimoin DL, Lachman RS, Cohn DH. Multiple Epiphyseal Dysplasia: Radiographic abnormalities correlated with genotype. *Pediatric Radiol* 31:10-18, 2001.

Unger SL, Korkko J, Krakow D, Lachman RS, Rimoin DL, Cohn DH. Double heterozygosity for pseudoachondroplasia and spondyloepiphyseal dysplasia congenita. *Am J Med Genet* 104:140-146, 2001.

Wilcox WR, Wenger DA, Lachman RS, Rimoin DL. Distinguishing Pacman dysplasia from mucopolidosis *Am J Med Genet A.*;135(3):333 2005.

Wilkin DJ, Liberfarb R, Davis J, Levy HP, Cole WG, Francomano CA, Cohn DH. Rapid determination of COL2A1 mutations in individuals with Stickler syndrome: Analysis of potential premature termination codons. *Am J Med Genet* 94:141-148, 2000.

Zhen Q, Zhou G, Chen Y, Krakow D, Wilcox W, Lee B. Type X collagen gene regulation by Runx2/Cbfa1 contributes to its hypertrophic chondrocyte-specific expression in vivo. *J Cell Biol*, in press.

Book chapter

Cohn DH. Cartilage oligomeric matrix protein: pseudoachondroplasia. In *Molecular basis of inborn errors of development*, Erickson RP ed., 2003.